



JK 155 MST OWNERS MANUAL

**BEFORE USING THIS SOLVENT TRAP
BE CERTAIN YOU HAVE READ AND
UNDERSTAND THIS MANUAL**

DISCLAIMER

JK Armament is selling parts and products for solvent traps.

Solvent traps are a “firearm accessory” as such they can be attached to the end of the barrel, with an adapter, as a cleaning accessory and are not considered as anything other than an accessory because a projectile, or bullet, cannot pass through the tube without modification.

Solvent traps can be purchased legally without a Form 1.

You cannot, however, modify, alter or redesign them into a device for silencing, muffling or diminishing the report of a firearm without **first filing and receiving back from BATFE an approved Form 1.** Be aware of the restrictions and regulations.

Only after getting the approved Form 1 back can you make any modifications to the product. A crime is committed if you make the alterations before obtaining the tax stamp. Felony alert! Don't do any alteration or modifications to our products before getting the approved Form 1 back.

JK Armament disclaims any responsibility for your actions if you fail to follow these guidelines or any applicable laws. This includes Federal as well as state, county and municipal laws and regulations.

We also cannot be responsible for any result, consequence, damage or liability following any modifications or work done on our product after purchase. This includes third party liability.

No recommendation or endorsement of any modification, work or alteration to our product is made by these statements. Any such work, alteration and/ or modification is done at the sole risk and liability of the product owner. If you decide to make any modification or alteration to our products, please first read, review and follow all Federal regulations regarding NFA items.

FEATURES

JK Armament is excited to introduce the new line of JK155 MST (Modular Solvent Traps). Because we want to promote Modularity, this design is a must have in the world we live in today. Americans need to be adaptable to the environment of the day. JK Armament has chosen to use the industry-standard, 1.375"-24 TPI for mounting options.

SPECS

Length: Short 3" / Long 8.25" (Configurable)

Diameter: 1.55"

Weight: Short 4.8 oz / Long 11.8 oz (Configurable)

Color: BLACK

Thread Mount Options: 5/8-24 and 1/2-28

Heat Treated 4140 CM Steel

Black Oxide Finish

Compatible with: Plan B by Q™, Plan A by Griffin™, DeadAir™ Key-MO™, SilencerCo.™ ASR™, and many others.

Industry Standard tube thread, 1.375"-24 TPI

PACKAGE INCLUDES

- (1) Thread Mount 4140 Chrome Moly Steel 5/8-24 or 1/2-28 with Black Oxide Finish
- (1) T6-7075 Tube with Type III Anodize Black Finish
- (8) T6-7075 Cups with Type III Anodize Black Finish
- (1) T6-7075 End cap with Type III Anodize Black Finish

ASSEMBLY, DISASSEMBLY AND ROUTINE MAINTENANCE

JK Armament recommends cleaning your MST (Modular Solvent Trap) using cleaning solvent and a nylon brush. Keep carbon deposits off of threads and faces of all components.

ASSEMBLY

Thread together the connections, taking care not to cross thread. Hand tighten the units together. If a torque setting is desired do not exceed **7 ft/lbs**. One drop of Blue 242 Loctite can be used for a more robust configuration.

DISASSEMBLY


Unthread each component, if needed use a 1 ½” wrench or socket to disassemble. If Blue Loctite was installed, unit may need to be heated.

MAINTENANCE

Disassemble per the previous instructions.

Clean all components with an appropriate solvent and a nylon brush. Inspect all components and threads.

Assemble per the previous instructions.



LIMITED 1 YEAR WARRANTY

Products manufactured by Jake Kunsky Armament LLC (JK Armament) are warranted to be free from defects in material and workmanship for 1 year from the date of original purchase. This warranty is good to the original purchaser and is nontransferable. Any claim of defect to be accepted under warranty must be reported to JK Armament within 1 year from the date of first purchase by the original owner by written notice and by contacting JK Armament Customer Support. JK Armament provides only the above described warranty for defects in materials or workmanship. This warranty does not cover components not manufactured by JK Armament and does not cover sales outside the United States, cosmetic defects and ordinary wear and tear.

THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT OF THE PRODUCT BY THE MANUFACTURER. THIS EXPRESS LIMITED WARRANTY IS THE ONLY WARRANTY ON THIS PRODUCT. NO EXPRESS OR IMPLIED WARRANTY IS OTHERWISE PROVIDED.

THIS PRODUCT IS SOLD 'AS IS' AND HAS NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. There are no warranties which extend beyond the description on the face hereof.

UNDER NO CIRCUMSTANCES SHALL JK ARMAMENT BE RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES WITH RESPECT TO ECONOMIC LOSS OR INJURY TO PERSON OR PROPERTY WHETHER AS A RESULT OF BREACH OF AN EXPRESS OR LIMITED WARRANTY, NEGLIGENCE OR OTHERWISE. Some states do not allow the exclusion of certain warranties or damages so these limitations may not apply to you.

JK Armament shall not be responsible for injury, death, or damage to person or property and will not be responsible and excludes from any warranty, damages which are the result of, but not limited to or resulting from, either intentional or accidental discharge of a firearm in connection with use of the product, or from the operation or function of a firearm in connection with the product when used for purposes or subjected to treatment for which it was not designed. JK Armament is not responsible for any and all damages and excludes from any warranty, damages which result from abuse, careless or improper handling, unauthorized adjustments or modifications, parts replacement, corrosion, neglect, ordinary wear and tear, unreasonable or unauthorized use, the failure to follow manufacturer instructions with the product, or modification to the product, if the product is improperly and/or inappropriately constructed, assembled, handled or disassembled or incompletely reassembled. Any change, modification or alteration to the basic design of the product is strictly prohibited.

JK Armament assumes no responsibility for legal compliance in use or ownership of the product, for resale or safe handling under local laws and regulations. JK Armament is not responsible for any result, consequence, damage or liability following any modifications or work done on our product after purchase. This includes third party liability.

JK Armament will not honor claims involving this product for any reason or cause when such claims are made by the second or subsequent owner of the product. JK Armament cannot control product

handling after the item leaves the factory, please examine the product carefully at the time of purchase to ensure that it is undamaged.

The manufacturer neither assumes nor authorizes any person to assume for the manufacturer any other liability in connection with the sale or use of the goods sold, and there are no oral agreements or warranties collateral to or affecting this agreement.

The manufacturer hereby gives notice that any statement made by the manufacturer in the sale of the goods, shall not create any warranty that the goods shall be fit for any particular purpose. Statements or descriptions are informational only, and not made or given as a warranty of the good in any way.

Warranty claims are to be made in writing and by contacting JK Armament Customer Support. Warranty claims should state the model of the product concerned, along with a description of the problem, the date, and place where the problem arose. Please also provide a proof of purchase. Contact JK Armament Customer Support to obtain a Return Material Authorization number (RMA) along with shipping instructions. Follow the instructions provided by Customer Support and send the listed information along with the product to JK Armament. JK Armament recommends that the owner insure the product prior to shipping. JK Armament will not be responsible for freight costs or loss or damage which occurs in transit.